MIZORAM SUBORDINATE SERVICES SELECTION BOARD



COMPETITIVE EXAMINATION FOR RECRUITMENT TO THE POST OF TUTOR UNDER HEALTH & FAMILY WELFARE DEPARTMENT, GOVERNMENT OF MIZORAM

JUNE - 2023

Question Booklet Series

NURSING SCIENCE PAPER I

Time Allowed : 2 Hours

Maximum Marks : 150

INSTRUCTIONS

- 1. This paper consists of seventy five (75) multiple-choice type of questions.
- 2. Immediately after the commencement of the examination, you should check that this question booklet does not have any unprinted or missing pages or items, etc. If so, get it replaced by a complete booklet from the invigilator.
- 3. Please note that it is the candidate's responsibility to fill in all necessary details such as Roll Number, etc. and the Question Booklet Series A, B, C or D carefully and without any ommission or discrepancy at the appropriate places in the OMR Answer Sheet. Any ommission/discrepancy will render the Answer Sheet liable for rejection.
- 4. Each question comprises four responses (answers). You will select the response which you want to mark on the Answer Sheet. In case you feel that there is more than one correct response, mark the response which you consider the best. In any case, choose *ONLY ONE* response for each item.
- 5. You have to mark your responses ONLY on the separate OMR Answer Sheet provided. *Read instructions given in the OMR sheet carefully*.
- 6. All questions carry equal marks.
- 7. Rough work is to be done in the spaces available in the question booklet.
- 8. You have to submit your Answer Sheet to the invigilators at the end of the examination compulsorily and must not carry it with you outside the Examination Hall. You are permitted to take away with you the question booklet on conclusion of examination.
- 9. There are no negative marks for incorrect answer.

•

-1-

- 1. Match the following modalities of cancer treatment:
 - (a) allogenic, autologous, syngeneic
 - (b) internal radiation implantation 2. Gene therapy
 - 3. Bone marrow transplant (c) antineoplastic agents
 - 4. Brachytherapy

1. Chemotherapy

- (d) tumor-directed therapy
- 1 (d), 2 (a), 3 (b), 4 (c)(A) 1 - (b), 2 - (c), 3 - (d), 4 - (a)(B)
- 1 (a), 2 (b), 3 (c), 4 (d)(D) 1 - (c), 2 - (d), 3 - (a), 4 - (b)(C)
- 2. Which patient is at the highest risk for cervical cancer?
 - (A) A 23 year old who reports first sexual partner at the age of 14 and that she has had at least 10 sex partners
 - A 60 year old with a history of syphillis and cigarette smoking **(B)**
 - (C) A 32 year old in a monogamous relationship who declined the HPV vaccine
 - (D) None of the above are at risk for cervical cancer
- 3. Which action occurs when you turn the palm of the hand downward?
 - External rotation (B) Circumduction (A)
 - (C) Lateral flexion (D) Pronation
- The systematic problem-solving approach towards providing individual nursing care 4. is known as
 - (A) Nursing process **(B)** Nursing care plan
 - (C) (D) Nursing assessment Nurses practice act
- 5. Which of the following is the correct sequential order of the phases of healing?
 - (A) Remodeling, inflammation, hemostasis, repair
 - (B) Inflammation, hemostasis, proliferation, maturation
 - (C) Hemostasis, inflammation, repair, remodeling
 - Inflammation, maturation, proliferation, hemostasis (D)
- 6. Consider the following about NREM sleep (Non-Rapid Movement):
 - (i) It is a deep restful sleep
 - (ii) All metabolic process is reduced
 - (iii) Most dreams take place during this period
 - (iv) It is referred to as quick wave sleep

Which of the above are true?

- (i), (ii), (iii) and (iv) (A) (B) (iii) and (iv)
- (C) (i) and (ii) (D) (i), (ii) and (iii)
- 7. While caring for a patient with bowel elimination problem, to promote normal elimination a nurse should keep in mind all of the following steps EXCEPT
 - (A) Skip the meal
 - Encourage high fibre diet
 - Normal fluid intake (C) (D)
- 8. As per BMI criteria based on WHO, the normal healthy category range is
 - (A) below 18.5
 - (C) 25 to 29.9 (D) above 30
- Stress free environment

18.5 to 24.9

(B)

(B)

- All of the following precautions will be followed to prevent droplet transmission 9. EXCEPT
 - (A) Place a patient in private room or at least 3 feet away from other patients or visitors
 - (B) Health care provider should use surgical mask
 - When necessary patients being transported out of their rooms should wear mask (C)
 - Disinfect the toilets and utensils used by the patients (D)
- 10. Baby Mary, a 4 month old is not able to breastfeed and chest indrawing is present. This can be classified as
 - (A) pneumonia (B) severe pneumonia
 - mild pneumonia (C) very severe pneumonia (D)
- 11. 101°F converted to Celsius is
 - 39° C (A) 39.2°C (B) 38.3°C 40° C (C) (D)
- 12. Match the following:
 - 1. Change of shift reports (a) Occurrence report
 - 2. Incident reports (b) report given to all nurses on duty in the next period
 - 3. Transfer reports (c) reports with judicial value
 - 4. Legal reports (d) report given when patient is moved to other health care unit

Select the answer from the codes given below:

(A)	1 - (c), 2 - (a), 3 - (b), 4 - (d)	(B)	1 - (b), 2 - (a), 3 - (d), 4 - (c)
(C)	1 - (d), 2 - (a), 3 - (b), 4 - (c)	(D)	1 - (d), 2 - (c), 3 - (b), 4 - (a)

- 13. As per minimum norms, which four medical specialists are required to man a Community Health Center (CHC)?
 - Surgeon, dental surgeon, physician and pediatrician (A)
 - Surgeon, gynecologist, physician and pediatrician (B)
 - (C) Gynecologist, radiologist, physician and pathologist
 - Surgeon, physician, pathologist and radiologist (D)

14. Ayushman Bharat is an initiative of the government of India to achieve

- (A) Primary Health Care **(B)**
- (C) Universal Health Coverage (D)
- 15. Under the Prevention of Food Adulteration Act, when is food said to be adulterated?
 - (A) If any ingredient is injurious to health
 - If it is obtained from a diseased animal (B)
 - If spices are sold without their essence (C)
 - All of the above (D)
- 16. The nursing theorist who viewed nursing as both a science and art is
 - (A) Dorothea Orem (B) Imogene King
 - (C) Betty Newman (D) Martha Rogers

- Secondary and Tertiary Care
- Prevention of Communicable Diseases

(B)

Prevention of hypothermia

- 17. All of the following are 'Essential Newborn Care' components EXCEPT
 - (A) Exclusive breastfeeding
 - (C) Complete immunization (D) Prevention of infection
- 18. Consider the following:
 - (i) To reduce morbidity and mortality due to TB
 - (ii) To cure 90% of all cases
 - (iii) To eliminate tuberculosis
 - (iv) To break the chain of transmission of TB cases

Which of the above are the general objectives of RNTCP?

- (A) (i), (ii), (iii) and (iv) (B) (i) and (iv)
- (C) (ii) and (iii) (D) (ii), (iii) and (iv)
- 19. While providing care to a patient with plaster cast, a nurse should tell the patient not to
 - (A) move joints above and below cast regularly
 - (B) elevate extremity above level of heart for first 48 hour
 - (C) get plaster cast wet
 - (D) report pain during movement
- 20. Consider the following:
 - (i) An 80 years old man with hip fracture
 - (ii) A 35 years old man with cardiac arrest
 - (iii) A 20 years old woman who complains of urinary tract symptoms
 - (iv) A 50 years old man with complain of chest pain radiating to left arm
 - (v) A 3 years old boy with earache

Using the Emergency Severity Index, categorize the above five patients brought to the Emergency Department for treatment in order of their ESI level 1-5.

- (A) (ii), (i), (iv), (iii), (v) (B) (ii), (iv), (i), (iii), (v)
- (C) (iii), (ii), (i), (v), (iv) (D) (ii), (i), (iii), (iv), (v)
- 21. A 5 years old Kima was brought to a health centre with a history of dog bite. On examination it was found that there were scratches and abrasions without bleeding. What intervention is a Community Health Nurse expected to perform?
 - (A) No intervention is required as the incident is not serious
 - (B) Local treatment of the wound and immediate vaccination
 - (C) Immediate vaccination and administration of Immunoglobulin
 - (D) Local treatment of the wound with antiseptic solution
- 22. While preparing a vaccine for immunisation clinic, a health worker found the VVM to be in stage 3 where the inner square colour matches the colour of outer circle. What should the health worker do?
 - (i) Do not use the vaccine (ii) Give to the child anyway
 - (iii) Inform the supervisor

Select the correct answer using the given codes.

- (A) (i) only (B) (ii) only
- (C) (ii) and (iii) (D) (i) and (iii)

- 23. A client is brought to Emergency Department with partial thickness burns to his face, neck, arms and chest. The first priority nursing action to be implemented is
 - (A) Administering IV fluids
- (B) Dressing of the wound
- (C) Assessing for airway patency (D) Administering pain medication

24. A nurse is providing care to a patient having ineffective tissue perfusion caused by myocardial infarction. The appropriate nursing intervention would be

- (A) to administer morphine intravenously
- (B) to provide rest periods
- (C) to obtain 12 lead ECG
- (D) to evaluate chest pain
- 25. Consider the following:
 - (i) Avoid arm exercises in the immediate postoperative period
 - (ii) Elevate the affected arm on a pillow above heart level
 - (iii) Place cool compresses on the affected arm
 - (iv) Do not carry heavy things in the affected arm

Which of the above measures are to be taken by a post mastectomy patient to prevent lymphedema of the affected arm?

(B)

(D)

- (A) (i) and (ii)
- (C) (iii) and (iv)
- 26. Match the following :
 - 1. Iron deficiency anemia
 - 2. Vit D deficiency
 - 3. Deficiency of flouride
 - 4. Measles
 - 5. Typhoid

(A)

- (a) Rickets
- (b) Koplik spots
- (c) Spoon shaped nail

(i) and (iii)

(ii) and (iv)

- (d) Rose spots
- (e) Dental caries
- (B) 1–(c), 2–(d), 3–(e), 4–(b), 5–(a)
- (C) 1-(c), 2-(a), 3-(e), 4-(b), 5-(d) (D) 1-(c), 2-(a), 3-(e), 4-(d), 5-(b)

1-(a), 2-(c), 3-(e), 4-(b), 5-(d)

- 27. An 85 years old patient has an accidental fall while going to the bathroom without assistance. It appears that he has sustained a bone fracture to the left leg. The leg's shape is deformed and he is unable to move it. The patient is alert and oriented but in pain. What will be the priority intervention after confirming the client is safe and stable?
 - (A) Applying an ice pack covered with a towel to the site
 - (B) Immobilizing the fracture with a splint
 - (C) Administering pain medication
 - (D) Elevating the extremity above heart level

28. Which of the following confirms a diagnosis of Hodgkin disease in a 20 year old client?

- (A) Reed-Sternberg cells in the lymph nodes
- (B) VMA in the urine
- (C) Blast cells in the blood
- (D) Lymphocytes in the bone marrow

- 5 -

- 29. A 45 years old man was admitted with the diagnosis of acute pancreatitis with the chief complain of severe abdominal pain. He has been kept nil per oral (NPO) for over 8 hours and also has nasogastic tube inserted. The reason that he is kept NPO is
 - (A) to allow the pancreas to rest
 - (B) to decrease his blood sugar level
 - (C) to prevent infection of pancreas
 - (D) to determine if the liver is involved as well

30. The best method for sterilizing an instrument is to

- (A) place it in a chemical germicide (B) put it into an autoclave
- (C) boil it for 20 minutes (D) pass it through a bright flame
- 31. The establishment of 'Green Belt' between industrial area and residential area is a remedy for which type of pollution?
 - (A) Air pollution (B) Water pollution
 - (C) Land pollution (D) Noise pollution
- 32. Consider the following:
 (i) Sedimentation (ii) Storage (iii) Filtration (iv) Boiling Which of the above are natural methods for purification of water?
 - (A) (i), (ii), (iii) and (iv) (B) (i) and (iv)
 - (C) (i), (ii) and (iii) (D) (i), (ii) and (iv)

33. Absolute contraindications to oral contraceptive pills include:

- (i) breast cancer and pregnancy
- (ii) liver disease and use of rifampicin
- (iii) diabetes and hypertension

Select the correct answer from the code given below.

- (A) (i) and (iii) (B) (i) and (ii)
- (C) (ii) and (iii) (D) (i), (ii) and (iii)
- 34. The most common symptoms of benign prostatic hypertrophy are
 - (A) intermittency, hesitancy and dribbling
 - (B) dysuria, abdominal pain and urinary retention
 - (C) chills, fever and nausea
 - (D) nocturia, bladder spasms and hematuria
- 35. A client with psoriasis has been using a topical treatment for 2 months. On assessment, which of the following characteristics will a nurse identify as improvement in the manifestations of psoriasis?
 - (i) Palpable radial pulses
 - (ii) Scarce amount of silvery white scaly patches on the arms
 - (iii) Thinner and decrease in number of reddish papules
 - (iv) Absence of ecchymosis on the extremities

Select the correct answer using the codes given below.

- (A) (i) and (ii) (B) (ii) and (iii)
- (C) (iii) and (iv) (D) (ii) and (iv)

- 36. A nurse must be aware that the polydipsia and polyuria experienced by a patient with poorly controlled diabetes mellitus are caused primarily by
 - (A) fluid shifts from the osmotic effect of hyperglycemia
 - (B) the release of ketones from cells during fat metabolism
 - (C) damage to the kidneys from exposure to high levels of glucose
 - (D) change in RBCs resulting from attachment of excessive glucose to haemoglobin

37. Match the following eye disorders with their respective surgical treatments:

- 1. Retinal detachment
- (a) Trabeculectomy(b) Phacoemulsification

Glaucoma
 Myopia

b) Phacoemulsification

4. Cataract

- (c) Laser photocoagulation(d) Laser-assisted in situ keratomileusis
- (A) 1 (c), 2 (a), 3 (d), 4 (b) (B) 1 (b), 2 (c), 3 (a), 4 (d)
- (C) 1-(d), 2-(a), 3-(c), 4-(b) (D) 1-(c), 2-(a), 3-(b), 4-(d)
- 38. A nurse notes that a patient has a diagnosis of presbycusis. The nurse plans care knowing the condition is
 - (A) Tinnitus that occurs with aging
 - (B) Nystagmus that occurs with aging
 - (C) A sensorineural hearing loss that occurs with aging
 - (D) A conductive hearing loss that occurs with aging
- 39. Which respiration sound creates a high-pitched musical sound?
 - (A) Stridor (B) Rales and ronchi
 - (C) Stertorous (D) Wheezes

40. Match the following positions with their respective physical examinations used for:

- 1. Dorsal Recumbent (a) gynecological examination
- 2. Sim's (b) examination of pelvic organs
- 3. Lithotomy
- (c) rectal examination(d) abdominal assessment
- 4. Trendelenburg (d) abdominal assessment (A) 1-(d), 2-(c), 3-(a), 4-(b) (B) 1-(b), 2-(a)
- (A) 1-(d), 2-(c), 3-(a), 4-(b) (B) 1-(b), 2-(a), 3-(d), 4-(c)(C) 1-(d), 2-(c), 3-(b), 4-(a) (D) 1-(c), 2-(d), 3-(a), 4-(b)

41. Consider the following:

- (i) It is permanent record for accountability
- (ii) It is a legal record of case
- (iii) It is sometimes used by government agencies to evaluate patient case
- (iv) It provides data for research

Which of the above are the basic purposes for an accurate and complete written patient record?

- (A) (i), (ii), (iii) and (iv) (B) (i), (ii) and (iii)
- (C) (i), (ii) and (iv) (D) (ii), (iii) and (iv)

42. Hyperpyrexia is when the temperature rises above

- (A) $100^{\circ} F$ (B) $104^{\circ} F$ (C) $105^{\circ} F$ (D) $00^{\circ} F$
- (C) $105^{\circ} F$ (D) $99^{\circ} F$

- 43. is a term used when a patient leaves a hospital without any information and takes his records without depositing the fees or dues.
 - (A) LAMA

Absconded **(B)**

DAMA (C)

- (D) SAMA
- 44. The denominator for calculating IMR is
 - Total number of births in the previous year (A)
 - (B) Total births in the same year
 - (C) Total number of live births and still births in the same year
 - (D) Total number of live births in the same year
- 45. The most suitable strategy to prevent diabetes is
 - early diagnosis and treatment (A) specific protection (B)
 - (C) primordial prevention (D) rehabilitation
- 46. Which of the following statements about laceration wound is true?
 - (A) Rough irregular wound caused by crushing or ripping forces
 - **(B)** Would caused by a clear sharp edge object
 - (C) Superficial wound in which topmost layer of skin are scraped off
 - Wound caused by an object puncturing the skin (D)
- 47. According to the National Immunization schedule, the group of vaccines recommended to be given at birth are
 - (A) BCG, DPT and OPV
 - (B) BCG, Hepatitis B and OPV
 - (C) BCG, Hepatitis B, OPV and IPV (Hep B)
 - (D) BCG, Hepatitis B, OPV and Hib
- 48. Which strategy of polio eradication is called door to door immunization?
 - Expanded programmes of immunization (A)
 - Supplementary immunization (B)
 - (C) Umbrella immunization
 - Mop-up immunization (D)
- 49. What is the new name of the mid day meal program?
 - (A) Pradhan Mantri Poshan Shakti Nirman Scheme
 - (B) Pradan Mantri Survakosh Matrima Abhijan
 - (C) Rastriya Kishore Swasthya Karyakram
 - (D) Janani Suraksha Yojana
- 50. WHO approved oral rehydration solution includes all of the following EXCEPT
 - (A) NaCl **(B)** KCl
 - (C) Sodium citrate (D) Sodium Carbonate
- Malnutrition, dehydration, unusual weight loss and poor personal hygiene found in an 51. older person is most likely an indication of

(B)

neglect

- (A) abandonment
- psychological abuse (C) physical abuse (D)

- 52. Which of the following statements about Epispadias is correct?
 - (A) The urethral opening is on the ventral surface of the penis
 - (B) The foreskin is constricted so that it cannot be retracted over the glans
 - (C) The urethral opening is on the dorsum of the penis
 - (D) Edema of the retracted uncircumcised foreskin
- 53. A patient is admitted with an occupational disease caused by inhalation of cotton dust over long period of time. This condition is known as
 - (A) Byssinosis (B) Anthracosis
 - (C) Bagassosis (D) Farmer's lung
- 54. Preventive measures for Hepatitis A include
 - (A) use of disposable needles and syringes
 - (B) screening of donated blood
 - (C) avoiding the sharing of toothbrush and razors
 - (D) control and screening of food handlers
- 55. Which of the following nursing theorists introduced "Theory of Interpersonal relation" that emphasizes the nurse-client relationship as the foundation of nursing practice?
 - (A) Virginia Handerson (B) Dorothy Johnson
 - (C) Hildegard Peplau (D) Florence Nightingale
- 56. A nurse is performing GCS scoring on a patient with intermittent altered state of consciousness and found that the present score is 5. This indicates that the patient is
 - (A) fully alert (B) in coma
 - (C) confused (D) obedient of command
- 57. All of the following are the qualities of a professional nurse EXCEPT
 - (A) Honest (B) Responsible and Accountable
 - (C) Keen observer (D) Impulsive
- 58. Consider the following:
 - (i) Difficulty in hearing
 (ii) Difficulty in vision
 (iii) Neurosis
 (iv) Difficulty in expression
 Which of the above are physical barriers of communication?
 - (A) (i), (ii), (iii) and (iv) (B) (i) and (ii)
 - (C) (i), (ii) and (iv) (D) (iii) and (iv)
- 59. Consider the following:
 - (i) It is the ratio of oxyhemoglobin to the total concentration of hemoglobin in the blood
 - (ii) The normal value is between 95% 100%
 - (iii) It is measured using pulse oximeter
 - (iv) Venous oxygen saturation is the percentage of oxygenated hemoglobin returning to the right side of the heart.
 - Which of the above statements regarding oxygen saturation are true?
 - (A) (i), (ii), (iii) and (iv) (B) (ii) and (iii)
 - (C) (i), (ii) and (iii) (D) (ii), (iii) and (iv)

60 Consider the following:

00.	 (i) Children under the age group of 6 years, pregnant women and lactating mothers are covered (ii) It provides nutritional supplementation and preschool education (iii) The scheme is under Health and Family Welfare department (iv) It was launched in 1978 Which of the above statements about ICDS are true? 										
							(A)	(i) and (ii) only	(B)	(ii) and (iii) only	
							(C)	(iii) and (iv) only	(D)	(i) and (iv) only	
	61.	The number of new cases occurring in a defined population during a specific period of time is									
		(A)	incidence rate	(B)	mortality rate						
(C)		prevalence rate	(D)	morbidity rate							
62.	All of the following are principles of Community Health Nursing EXCEPT(A) Considering the family as the unit of service										
	(B) Respect for the values, customs and beliefs of the clients										
	(C)	Recognizing the need of ind	ividuals, fam	ilies and communities							
	(D)	Functioning independently:	for the accom	plishment of goals							
63.	Triple-drug therapy for eradication of <i>H. pylori</i> infection includes a combination of the following drugs EXCEPT										
	(A)	Proton pump inhibitor	(B)	Amoxicillin							
	(C)	Metaclopramide	(D)	Clarithromycin							
64.	A patient who has been receiving antiretroviral therapy (ART) to manage infection with human immunodeficiency virus (HIV) has an undetectable viral load. How would the nurse interpret this information?										
	(A) HIV has been eliminated from the patient's blood										
	 (B) ART has been effective in decreasing viral load (C) More texts are used a laterative of effective and a laterative of A BT 										
	 (C) More tests are needed to determine the effectiveness of ART (D) ART can be discontinued for 3 months 										
65.	While performing CPR for adult, the compression-to-ventilation ratio for 2- rescuer CPR is										
	(A)	15:1	(B)	15:2							
	(C)	30:1	(D)	30:2							
66.	A nurse may use the mnemonic 'OPQRST' to assess										
	(A)	Mental wellbeing	(B)	Pain							
	(C)	Vital signs	(D)	Oxygen saturation							
67.		edico legal case (MLC) if brou ch of the following cases are in		ital should be informed to the po MLC?	olice.						

- (A) Road Traffic Accident (RTA) Suicide (B) (C)
 - Rape All of these (D)

- 68. While educating Breast Self Examination (BSE) as a screening method to detect early breast cancer, a nurse should advice all of the following EXCEPT
 - (A) BSE should be performed after menses (5-7 days) once a month
 - (B) While performing BSE, two important components a client should perform is looking and feeling
 - (C) A woman should have clinical breast examination done by a health care worker every three years
 - (D) BSE can be conducted anytime during the month
- 69. A nurse understands that the first line of drug to be given during advanced cardiac life support is
 - (A) Epinephrine (B) Amiodarone
 - (C) Lidocaine (D) Atropine
- 70. According to Kubler-Ross the emotional responses to death are of the following five stages:
 - (i) Anger(ii) Denial and isolation(iii) Depression(iv) Bargaining(v) Acceptance

Select the stages of dying in the correct sequence.

- (A) (ii), (i), (iv), (iii), (v)
 (B) (i), (ii), (ii), (iv), (v)
 (C) (ii), (iii), (i), (iv), (v)
 (D) (i), (iii), (ii), (iv), (v)
- 71. The most common manifestation of Pelvic Inflammatory Disease is
 - (A) Hot flashes (B) Dysuria
 - (C) Lower abdominal pain (D) Amenorrhea

72. A physician prescribed the medication of a patient to be given as q.i.d. It means

- (A) once a day (B) twice a day
- (C) thrice a day (D) four times a day

73. While giving Sitz bath, a nurse should provide the following instructions EXCEPT

- (A) Maintain a temperature of the solution between 110-115°F
- (B) Keep ice pack ready if necessary
- (C) Use Sitz bath for a duration of 15-20 mins
- (D) Agitate the water while pouring additional hot water to prevent burns
- 74. Your patient is prepared for a lumbar puncture. What position do you assist the patient in?
 - (A) Prone (B) Fowlers position
 - (C) Lateral side-lying position (D) Trendelenburg position
- 75. Which of the following is a zoonosis or zoonotic disease?
 - (A) Chikungunya (B) Malaria
 - (C) Rabies (D) AIDS