MIZORAM SUBORDINATE SERVICES SELECTION BOARD



COMPETITIVE EXAMINATION FOR RECRUITMENT TO THE POST OF TUTOR UNDER HEALTH & FAMILY WELFARE DEPARTMENT, GOVERNMENT OF MIZORAM

JUNE - 2023

Question Booklet Series

NURSING SCIENCE PAPER II



Time Allowed: 2 Hours Maximum Marks: 150

INSTRUCTIONS

- 1. This paper consists of seventy five (75) multiple-choice type of questions.
- 2. Immediately after the commencement of the examination, you should check that this question booklet does not have any unprinted or missing pages or items, etc. If so, get it replaced by a complete booklet from the invigilator.
- 3. Please note that it is the candidate's responsibility to fill in necessary details such as Roll Number, etc. and the Question Booklet Series A, B, C or D carefully and without any ommission or discrepancy at the appropriate places in the OMR Answer Sheet. Any ommission/discrepancy will render the Answer Sheet liable for rejection.
- 4. Each question comprises four responses (answers). You will select the response which you want to mark on the Answer Sheet. In case you feel that there is more than one correct response, mark the response which you consider the best. In any case, choose *ONLY ONE* response for each item.
- 5. You have to mark your responses ONLY on the separate OMR Answer Sheet provided. *Read instructions given in the OMR sheet carefully*.
- 6. All questions carry equal marks.
- 7. Rough work is to be done in the spaces available in the question booklet.
- 8. You have to submit your Answer Sheet to the invigilators at the end of the examination compulsorily and must not carry it with you outside the Examination Hall. You are permitted to take away with you the question booklet on conclusion of examination.
- 9. There are no negative marks for incorrect answer.

1.	Talipes varus is a condition in which the foot (A) points upwards with the heel pointing down (B) turns inward so that the leg and foot look somewhat like the letter J (C) is twisted inward with the toes pointing down (D) points downwards
2.	The recommended daily moderate physical activity for a child of primary school age is
	(A) 180 minutes (B) an hour and a half
	(C) 60 minutes (D) 30 minutes
3.	Match the cognitive milestones with their correct stages of development (according to Piaget): 1. Child looks for a ball that is hidden under a pillow 2. Child is able to conserve mass 3. Child is able to understand hypothesis 4. Child is egocentric and believes everyone sees three mountains in the same way as he or she does (a) Sensorimotor (b) Preoperational (c) Concrete operations (d) Formal operations
	(A) $1-(b), 2-(c), 3-(d), 4-(a)$ (B) $1-(b), 2-(d), 3-(c), 4-(a)$
	(C) $1-(a), 2-(c), 3-(d), 4-(b)$ (D) $1-(a), 2-(c), 3-(b), 4-(d)$
4.	Irrational fear of closed spaces is called
	(A) Acrophobia (B) Agoraphobia
	(C) Nosophobia (D) Claustrophobia
5.	 Which best exemplifies an individual's use of the defense mechanism of compensation? (A) A woman feels unattractive, but decides to pursue fashion design as a career (B) A shy woman who abuses alcohol tells others that alcohol helps her overcome her shyness (C) A poorly paid employee consistently yells at his assistant for minimal mistakes (D) A teenager injures an ankle playing basketball and curls into a fetal position to deal with the pain
6.	 Which of the following statements about causation of mental illness is incorrect? (A) Biochemical abnormalities in the brain are responsible for mental disorders (B) Mental disorders are caused by inability to deal with environmental stressors (C) Heredity does not influence one's mental health (D) Strained interpersonal relationships at home and workplace may contribute to mental illness
7.	Which structure is the tissue that extends from the clitoris to the posterior fourchette? (A) Mons pubis (B) Vestibule (C) Clitoris (D) Labia majora
8.	Testing of a nurse by a patient is one of the barriers encountered in (A) working phase of the therapeutic nurse patient relationship (B) orientation phase of the therapeutic nurse patient relationship (C) pre-interaction phase of the therapeutic nurse patient relationship (D) termination phase of the therapeutic nurse patient relationship

9.	What are the two fetal members	ranes?	
	(A) Chorion and amnion	(B)	Ectoderm and mesoderm
	(C) Chorion and endodern	n (D)	Amnion and mesoderm
10.	All of the following are chara	acteristics of autisn	n EXCEPT
	(A) Onset after 6 years of	age (B)	Repetitive behaviour
	(C) Delayed language deve	elopment (D)	Severe deficit in social interaction
11.	The only class of immunoglo	bulin which is tran	sported across the placenta is
	(A) IgG	(B)	IgM
	(C) IgA	(D)	IgD
12.	A baby has her cleft lip repair	ed and has just ret	urned from the operating room.
		•	highest to lowest priority tasks.
	(i) Apply a cool mist for the	•	. ,
			rnynx avoiding the suture lines
	(iii) Apply elbow immobilize	•	•
	(iv) Medicate for pain with an		•
	(v) Cleanse the suture line w	•	
	Select the correct answer using		below.
	(A) $(i), (ii), (iii), (iv), (v)$	(B)	(ii), (iv), (i), (v), (iii)
	(C) $(i), (ii), (iv), (iii), (v)$	(D)	
13.	A nurse is caring for a patien	t whose goal is to f	ocus on task performance. Which of
	the following types of therapy	•	-
	(A) Electro Convulsive Th	_	_
	(C) Bibliotherapy	(D)	Occupational therapy
14.	The focus of Milieu Therapy	is to	
	(A) allow the client to per		vants to do
	(B) role play life events to		
	(C) use natural remedies to	o control undesirab	ole behaviour
	(D) manipulate the environ	nment to bring abou	ut a positive change in behaviour
15.	Consider the following move	ments: occur durin	ng normal labour:
	(i) Engagement (ii) Flexion	(iii) Internal rotation
	(iv) Crowning ((v) Descend	
	The correct order of moveme	ents which occur du	aring normal labour is
	(A) $(i), (ii), (iii), (iv), (v)$	(B)	(i), (iii), (v), (ii), (iv)
	(C) $(i), (v), (ii), (iii), (iv)$	(D)	(i), (ii), (v), (iii), (iv)
16.	Consider the following:		
	(i) Epstein pearls		
	(ii) Ptosis of the eyelid		
	(iii) Absence of the red reflex	x in the eye	
	(iv) Boggy mass under the sc	alp that does not ca	ross suture lines
	The findings that are consider	red normal variatio	ons in newborn assessment are
	(A) (i) and (ii) only	(B)	(ii) and (iii) only
	(C) (i) and (iii) only	(D)	(iii) and (iv) only

17.	Rhesus(Rh) hemolytic disease of the newborn is a set (A) an Rh-negative mother alloimmunised during (B) an Rh-positive mother with an Rh-negative f (C) an allergy to rhesus serum (D) the inability of IgG Rh antibodies to cross p	the first Rh incompatible pregnancy fetus	
18.	The amount of sodium chloride (NaCl) in a litre of	ORS is	
	(A) 2.9 gm (B) 2	2.5 gm	
	(C) 1.5 gm (D) 2	20 gm	
19.	Excess of Vitamin K in a new born causes		
	(A) Bleeding tendencies (B) H	Hyperbilirubinemia	
	(C) Vomiting (D) H	Iaemolysis	
20.	In which situation would benzodiazepines be prescr	ribed appropriately?	
	(A) Long-term treatment of posttraumatic stress alcohol withdrawal	s disorder, convulsive disorder and	
	(B) Short-term treatment of generalized anxiety	disorder, alcohol withdrawal and	
	preoperative sedation		
	(C) Short-term treatment of obsessive-compuls spasms and essential hypertension	ive disorder, skeletal muscle	
	(D) Long-term treatment of panic disorder, alcohaffective disorder: manic episode	hol dependence and bipolar	
21.	Which of the following tests is used for assessmen	t of cognitive impairment?	
	(A) History taking (B) N	Mental status examination	
	(C) Mini- mental status examination (D) C	Glasgow coma scale	
22.	Which of the following should be a nurse's correct	interpretation if the patient's	
	lithium level is 2.0 mEq/L?		
	(A) The level is below the rapeutic range; must in		
	(B) The level is within the normal therapeutic ra(C) The level is elevated; patient must be checked f		
	(D) Level is slightly elevated; do nothing	of mannestations of number toxicity	
23.	Corticosteroids were ordered for a 30 week gestation, gravid 5, para 2, 32 year old in labour. Why was this patient prescribed corticosteroids as part of her therapy? (A) To decrease inflammation in feet and ankles (B) To decrease destruction of platelets (C) To prevent seizures (D) To increase fetal lung maturity		
24.	Which statement describes a major difference between a client diagnosed with major depressive disorder and a client diagnosed with dysthymic disorder? (A) A client diagnosed with dysthymic disorder is at higher risk for suicide (B) A client diagnosed with dysthymic disorder may experience psychotic features (C) A client diagnosed with dysthymic disorder experiences excessive guilt		

A client diagnosed with dysthymic disorder has symptoms for at least 2 years

(D)

25.	Whic	th is the major cause of maternal mo	rtality i	n India?
	(A)	Anaemia	(B)	Hemorrhage
	(C)	Hypertensive disorder	(D)	Puerperal sepsis
26.	The a	mount of pulses given in a mid-day		
	(A)	75 gm/day/child	(B)	40 gm/day/child
	(C)	30 gm/day/child	(D)	10 gm/day/child
27.	A chi	ld with IQ will be considered a	as 'depe	endent' child.
	(A)	55	(B)	37
	(C)	28	(D)	15
28.	In ch	ildren iron deficiency anaemia is a		
	(A)	megaloblastic anaemia	(B)	microcytic hypochromic anaemia
	(C)	hemolytic anaemia	(D)	hereditary hemolytic anaemia
29.	A 20	year-old female is sexually assaulted		way back home. Rape is an example of
	(A)	situational crisis	(B)	social crisis
	(C)	maturational crisis	(D)	adventitious crisis
30.	One	of the most common psychiatric en	nergenc	ies is
	(A)	excitement	(B)	suicidal threat
	(C)	extrapyramidal symptoms	(D)	schizophrenia
31.	_	es is 30 years old. She presents with a		
	•	cian writes that she is a nullipara, gr		
	(A)	the physician wrote her history w	_	d will need to correct it
	(B)	the patient has never been pregnar		
	(C)			out has never delivered a viable fetus
	(D)	the patient has been pregnant five	times b	out has had five abortions
32.				, the newborn baby has the following
	featu		-	espiratory effort – Good or crying,
		ele tone – Active, Reflex response to		•
		mities blue. What is the total Apgar		-
	(A)	10	(B)	9
	(C)	8	(D)	7
33.		rth, the brain is typically of		
	(A)	20 %	(B)	25 %
	(C)	30 %	(D)	35 %
34.		e signs indicating tracheoesophagea	l fistula	at birth are
	(A)	cyanosis, chocking, vomiting		
	(B)	cyanosis, coughing, chocking		
	(C)	coughing, chest retractions, chest	paın	
	(D)	chocking, coughing, dyspnea		

35.	All o	f the following are components	of KMC EX	KCEPT		
	(A)	Kangaroo promotion	(B)	Kangaroo position		
	(C)	Kangaroo nutrition	(D)	Kangaroo discharge		
36.	Thiamine deficiency is a major problem for clients diagnosed with alcohol dependence. Of the presenting signs and symptoms caused by this deficiency, what is most life threatening?					
	(A) (B)	Paralysis of ocular muscles,		xia, somnolence and stupor noria or depression, sleep disturbance,		
	(C)	<u> </u>	_	ss, abdominal pain, jaundice, edema, ities		
	(D)	Impaired platelet production	and risk for	hemorrhage		
37.	(i) (iii) A	ch of the following are the extra Neuroleptic induced Parkinson Akathisia ct the correct answer using the o	ism (ii) A (iv) A	symptoms of anti psychotic drugs? cute dystonia agranulocytosis below.		
	(A)	(i), (ii) and (iv)	(B)	(ii), (iii) and (iv)		
	(C)	(i), (iii) and (iv)	(D)	(i), (ii) and (iii)		
38.	seem perso	ns indifferent to praise and criticonal relationships or to respond	cism, and hat to others in			
	(A)	Schizotypal personality disor	• • •	Paranoid personality disorder		
	(C)	Schizoid personality disorde	r (D)	Histrionic personality disorder		
39.	Whe	n can a breastfeeding woman st	art combine	d oral contraceptive pills?		
	(A)	Immediately after delivery	(B)	6 weeks postpartum		
	(C)	3 months postpartum	(D)	6 months postpartum		
40.	of the	_		0/90 mmHg, 3+ proteinuria, edema clampsia is made. What other clinical		
	(i) I	Headache (ii) Cor	stipation	(iii) Abdominal pain		
	(iv) V	Vaginal bleeding (v) Visu	ıal disturban	ces		
	Select the correct answer using the codes given below.					
	(A)	(i), (ii) and (iii)	(B)	(i), (ii) and (iv)		
	(C)	(i), (iii) and (iv)	(D)	(i), (iii) and (v)		
41.	The	signs and symptoms of mild int		· · · · · · · · · · · · · · · · · · ·		
	(A)	few communication skills	(B)	lateness in walking		
	(C)	mental age of a toddler	(D)	noticeable developmental delays		
42.	An I	Q level which ranges between 5				
	(A)	mild mental retardation	(B)	moderate mental retardation		
	(C)	severe mental retardation	(D)	profound mental retardation		

A nurse observes that an infant has asymmetric gluteal folds. For which disorder should the nurse perform a focused assessment?						
	-			Central nervous system damage		
(C)			` /	· · · · · · · · · · · · · · · · · · ·		
Cons	ider the following:					
		_	_	•		
(iv)	To encourage voluntary acti	on for er		· · · · · · · · · · · · · · · · · · ·		
	•		vzol Dia	ahlad Dahahilitatian Sahama (DDDS)?		
		or Deemaa		(i) and (iv) only		
` /			` /	(iii) and (iv) only		
(C)	(ii) and (iii) only		(D)	(m) and (iv) omy		
		e the pric	rity nu	rsing intervention for a patient who		
	· · · · · · · · · · · · · · · · · · ·					
` ′	will not think of suicide					
(D)	Explain the etiologies, tre	atment a	and con	sequences of suicidal attempt		
Whic	Which is a predisposing factor in the diagnosis of autism?					
(A)			ental re	etardation		
		ent				
(D)	Congenital rubella					
Match the following features of the foetus:						
		` '				
		` /	-	1: 1		
	U 1	` ′	-			
(C)	1-(c), 2-(e), 3-(a), 4-(b)), 3–(u)	(D)	1-(c), 2-(e), 3-(a), 4-(a), 3-(b)		
Prima	ary prevention in a commun		` /	th setting is exemplified by which of		
Prima	ary prevention in a commun	nity ment	al healt			
	should (A) (C) Cons (i) T (ii) T (iii) T (iv) T Whice (A) (C) Whice (A) (B) (C) (D) Whice (A) (B) (C) (D) Mate 1. Lie 2. Pro 3. Att 4. De 5. Pro (A)	should the nurse perform a focus (A) Congenital inguinal hernis (C) Peripheral nervous system Consider the following: (i) To create an enabling enviror justice and empowerment of (ii) To assist State Government to (iii) To promote research and deve (iv) To encourage voluntary active People with Disabilities Actively in only (C) (ii) and (iii) only (C) (iii) and (iii) only Which of the following would be attempted suicide previously? (A) Avoid bringing up the subjuction (B) Ask the patient frankly if (C) Actively involve the patient will not think of suicide (D) Explain the etiologies, tree Which is a predisposing factor in (A) Having a sibling diagnose (B) Dysfunctional family system (C) Inadequate ego development (D) Congenital rubella Match the following features of 1. Lie 2. Presentation 3. Attitude 4. Denominator 5. Presenting part (A) 1–(a), 2–(b), 3–(c), 4–(e)	should the nurse perform a focused asses (A) Congenital inguinal hernia (C) Peripheral nervous system damage Consider the following: (i) To create an enabling environment to justice and empowerment of persons (ii) To assist State Government to organiz (iii) To promote research and development in the constant of the above are objectives of Deendard (A) (i) and (ii) only (C) (ii) and (iii) only Which of the following would be the price attempted suicide previously? (A) Avoid bringing up the subject of suicide (B) Ask the patient frankly if she/he he (C) Actively involve the patient in act will not think of suicide (D) Explain the etiologies, treatment at which is a predisposing factor in the diagent of the properties of the following as ibling diagnosed with me in the properties of the following systems (C) Inadequate ego development (D) Congenital rubella Match the following features of the foeter of the foeter of the following features of the foeter of the foeter of the following features of the foeter of the f	should the nurse perform a focused assessment? (A) Congenital inguinal hernia (B) (C) Peripheral nervous system damage (D) Consider the following: (i) To create an enabling environment to ensure justice and empowerment of persons with do (ii) To assist State Government to organize camp (iii) To promote research and development activities (iv) To encourage voluntary action for ensuring People with Disabilities Act 1995 Which of the above are objectives of Deendayal Disc (A) (i) and (ii) only (B) (C) (ii) and (iii) only (D) Which of the following would be the priority nursuattempted suicide previously? (A) Avoid bringing up the subject of suicide to (B) Ask the patient frankly if she/he has thou (C) Actively involve the patient in activity the will not think of suicide (D) Explain the etiologies, treatment and con Which is a predisposing factor in the diagnosis of (A) Having a sibling diagnosed with mental results are predisposing factor in the diagnosis of (B) Dysfunctional family systems (C) Inadequate ego development (D) Congenital rubella Match the following features of the foetus: 1. Lie (a) Flexion 2. Presentation (b) Occiput 3. Attitude (c) Longitude 4. Denominator (d) Posterio		

Referral for treatment of individuals in whom illness symptoms have been

Monitoring effectiveness of aftercare services

students

assessed

(C)

(D)

49.	True labour can be differentiated from false labour because in true labour contractions will
	 (A) bring about progressive cervical dilatation (B) occur immediately after membrane rupture (C) stop when the client is encouraged to walk around (D) be less uncomfortable if client is in a side lying position
50.	Which of the following is not a nursing intervention for feeding a child with cerebral palsy? (A) Allow the child to hold the spoon even if self-feeding is minimal (B) Avoid finger foods that the child can handle alone (C) Do not attempt feedings if the child is very fatigued (D) Serve foods that stick to the spoon
51.	In case of enuresis, the method that allows a child and parents to track dry nights as a record or as a part of reward programme is (A) Bell and pad technique (B) Scheduled awakening technique (C) Reminder therapy (D) Star chart
52.	All of the following are true of Beta thalassemia major EXCEPT (A) Splenomegaly (B) Target cells on peripheral smear (C) Microcytic hypochromic anaemia (D) Increased osmotic fragility
53.	Studies have indicated that drastically reduced levels of acetylcholine are noted in the brains of individuals diagnosed with neurocognitive disorder due to Alzheimer's disease. Which cognitive deficit is primarily associated with this reduction? (A) Loss of memory (B) Loss of purposeful movement (C) Loss of sensory ability to recognize objects (D) Loss of language ability
54.	When requested by the patient, under which type of admission can a mentally ill patient be admitted in a psychiatric hospital by a magistrate? (A) Admission of mentally ill prisoner (B) Admission under reception order (C) Admission on voluntary basis (D) Admission under special circumstances
55.	What is the ratio of chest compression and breath for the newborn baby during neonatal resuscitation? (A) 3:1 (B) 3:2 (C) 2:1 (D) 4:3
56.	Match the following signs and symptoms of pregnancy with their meaning: 1. Chadwick's sign (a) Sense of relief of pressure of gravid uterus 2. Quickening (b) Irregular, infrequent and painless contraction 3. Braxton-Hicks (c) Dusky hue of vestibule and anterior vaginal wall 4. Lightening (d) Fetal movement felt by the mother (A) 1-(b), 2-(a), 3-(c), 4-(d) (B) 1-(b), 2-(c), 3-(d), 4-(a) (C) 1-(c), 2-(d), 3-(b), 4-(a) (D) 1-(c), 2-(a), 3-(b), 4-(d)

5/.	Kern	icterus, which may occi	ur as a complicat	ion of j	aundice, is a pathological condition of		
	(A)	liver		(B)	heart		
	(C)	kidney		(D)	brain		
58.	A nurse is caring for a child diagnosed with meningitis. What clinical findings indicate an increase in intracranial pressure?						
	(i) In	ritability	(ii) Bradycard	lia	(iii) Hyperalertness		
		Decreased pulse press	` ′		d systolic blood pressure		
	Selec	et the correct answer u	sing the codes	-	pelow.		
	(A)	(iii) and (v) only		(B)	(ii) and (iv) only		
	(C)	(i) and (ii) only		(D)	(i) and (iv) only		
59.		nim and objectives of u					
	()	are in illness	` '		Π/STD (iii) Preventive care		
	` /	Growth monitoring	· /	_			
		et the correct answer u	•	_			
	(A)			(B)	(ii), (iii), (iv) and (v)		
	(C)	(i), (ii), (iii) and (v)		(D)	(i), (iii), (iv) and (v)		
60.	asks	_	•		oride for treatment of depression num therapeutic response). The best		
	(A)	First week		(B)	Second week		
	(C)	Third week		(D)	Fourth week		
61.	Which of the following is an absolute contraindication for ECT?						
	(A)	Raised ICP		(B)	Congestive heart failure		
	(C)	Brain tumor		(D)	Acute myocardial infarction		
62.	Which of the following nursing interventions is most appropriate for a patient during						
	acute intoxication?						
	(A) Building a good nurse patient relationship						
	(B) Decreasing environmental stimuli						
	(C) Educating the family on ill effects of alcohol						
	(D)	Encouraging use of	positive coping	g skills			
63.	A nurse is monitoring a client who is receiving oxytocin to induce labor. Which assessment findings should cause the nurse to immediately discontinue for oxytocin infusion?						
	` '	(i) Fatigue(ii) Drowsiness					
	` /	Jterine hyperstimulat	ion				
		Late decelerations of		ate			
	` ′	Early decelerations of					
		et the correct answer u			pelow.		
	(A)	(i) and (ii)	5 5	(B)	(ii) and (iii)		
	(C)	(iii) and (iv)		(D)	(iv) and (v)		
	. /	* /			and the second s		

	- 9 -	
64.	A nurse is caring for a 3-month-old infant whose abdomen is distended and whomitus is bile stained. The nurse suspects an intestinal obstruction. What clin manifestations support this suspicion? (i) Weak pulse (ii) Hypotonicity (iii) Paroxysmal pain (iv) High-pitched cry (v) Grunting respirations Select the correct answer using the codes given below. (A) (i) and (ii) only (B) (iii) and (iii) only	ical
	(C) (iv) and (v) only (D) (iii) and (v) only	
65.	Which factors are the most essential for a nurse to assess when providing crisi intervention for a patient? (A) Anxiety level (B) Communication and coping skills (C) Patient's perception of triggering event and availability of resources (D) Level of depression	.S
66.	Two positions of the same dice are given, which of the following number will be opposite to 3? (A) 2 (B) 4 (C) 5 (D) 6	e
67.	Consider the following statements: There are many Indians who are honest. Liana is an Indian. Conclusions: I. Liana is honest. II. Liana is not honest. Assuming the two statements to be true, which of the given conclusions can be dr (A) Only I follows (B) Neither I nor II follows (C) Only II follows (D) Both I and II follow	awn?
68.	In a class of 45 students, Liana is placed eighth from the bottom, whereas Lala placed tenth from the top. Mawia is placed exactly in between the two. What is Mawia's position from Lala? (A) 14 th (B) 15 th (C) 16 th (D) 17 th	
69.	Find the next number in the sequence: 16, 30, 54, 88, 132, (A) 182 (B) 184 (C) 186 (D) 188	
70.	If in a certain code ROPE is coded as 6821 and CHAIR is coded as 73456, who be the code for CRAPE? (A) 76421 (B) 75421 (C) 76412 (D) 76241	at will

If the TAP is coded as SZO, then how is FREEZE coded?

71.

	(A)	EQYDDY	(B)	ESDDYD
	(C)	EQCCYC	(D)	EQDDYD
72.	right is he	and covers another 5 km and then turn from the starting point?	rns righ	
	(A)	5 km	(B)	10 km
	(C)	15 km	(D)	19 km
73.	green			alled yellow, yellow is called green, tolet is called orange, what would be
	(A)	Red	(B)	Green
	(C)	Yellow	(D)	Violet
74.	B rep	epresents the total number of student resents students who like English are, then R would represent students both Hindi and English both Hindi and Science both English and Science all the three subjects	nd C rep	presents those students who like
75.	A is E	B's sister, C is B's mother and D is C	's fathe	r. How is A related to D?
	(A)	Mother	(B)	Father
	(C)	Grandfather	(D)	Granddaughter